Phone: H) W) HUMALOG A BEFORE ANY Round to Unit(s) for each Grams of Carb Unit(s) for each fruit, milk, or bread/starch exchange	/ NOVOLOG / REGULAR						
	Insulin to Correct † BS HUMALOG / NOVOLOG / REGULAR BEFORE ANY MEAL, 1/2 DOSE AT BEDTIME Round to the nearest tenth of a unit FOR BS >: (BS) / = UNITS						
	Bedtime Comments						
BS BS Pre BS Carb Units Sup 2 hr BS Pre BS Carb Units Sup 2 hr BS Pre BS Carb Units Sup 2 hr BS Carb Units Sup 2 h	BS Sup						

Basal Change Site every 48-72 hours. Test Urine Ketones if BS > 240 twice in a row.

If you have an unexplained BS > 240 twice in a row with mod-lg ketones that has not responded to a corrective pump bolus, take an injection of insulin and change your entire pump set-up. Call your doctor if you have vomiting. BS > 240 mod-lg ketones for over 4 hours

Insulin Pump Flow Sheet North Atlanta Endocrinology and Diabetes 758 Old Norcross Road, Suite 175 Lawrenceville, Georgia 30045 Fax #: 770-962-7868 Phone #: 770-339-1387														Target Blood Sugar Range							
Nam Phor	ne: H)	W]											_			E	JMALOG BEFORE AN Round	Insulin to Correct † BS //ALOG / NOVOLOG / REGULAR ORE ANY MEAL, 1/2 DOSE AT BEDTIME Round to the nearest tenth of a unit BS > : (BS) / = UNITS			
DATE	12:00 AM	3:00 AM	Breakfast Bolus					Lunch Bolus					Supper Bolus			Be		ime	Comments		
	BS	BS	Pre BS	Carb	Units	Sup	2 hr BS	Pre BS	Carb	Units	Sup	2 hr BS	Pre BS	Carb	Units	Sup	2 hr BS	BS	Sup		
																			-		
									_												

Change Site every 48-72 hours. Test Urine Ketones if BS > 240 twice in a row.

If you have an unexplained BS > 240 twice in a row with mod-lg ketones that has not responded to a corrective pump bolus, take an injection of insulin and change your entire pump set-up. Call your doctor if you have vomiting. BS > 240 mod-lg ketones for over 4 hours